



User Manual

FERREX[®] AIR HOSE REEL F-AHR25




Translation of original instruction manual






Contents

1.	Introduction	8
2.	Product description (fig. 1-3)	9
3.	Scope of delivery	9
4.	Proper use	10
5.	Safety instructions	10
6.	Residual risks	12
7.	Technical data	12
8.	Assembly.....	12
9.	Commissioning	13
10.	Maintenance and care	15



3



Scope of Delivery

- 1 x compressed air hose reel
- 2 x tie rods
- 1 x operating manual
- 1 x warranty card

Explanation of the symbols on the product

	<p>Before commissioning, read and observe the operating manual and safety instructions!</p>
	<p>Regulatory Compliance Mark</p>
	<p>Warranty class</p>
	<p>1 year warranty</p>

1. Introduction

Congratulations on your purchase of this FERREX® product.

All FERREX® products, are manufactured to the highest standards of performance and safety and are secured by our comprehensive 1-year warranty as part of our customer service.

We hope you will enjoy your purchase for many years to come.

Note:

In accordance with the applicable product liability laws, the manufacturer of this product assumes no liability for damage to the product or caused by the product arising from:

- Improper handling,
- Failure to comply with the operating manual,
- Repairs carried out by third parties, unauthorised specialists,
- Installing and replacing non-original spare parts,
- Application other than specified.

Recommendations:

Read the whole text of the operating manual before assembly and commissioning.

This operating manual should help you to familiarise yourself with your product and to use it for its intended purpose.

The operating instructions contain important information on how to work with the product safely, professionally and economically, and how to avoid hazards, save repair costs, reduce downtime and increase the reliability and service life of the product. In addition to the safety regulations in these operating instructions, you must also observe the regulations applicable to the operation of the product in your country.

Keep the operating instructions in a plastic cover with the product to protect it from dirt and moisture. They must be read and carefully observed by all operating personnel before starting the work. The power tool may only be used by personnel who have been trained to use it and who have been instructed with respect to the associated hazards. The required minimum age must be observed.

In addition to the safety instructions in this operating manual and the separate regulations of your country, the generally recognised technical rules relating to the operation of such machines must also be observed.

2. Product description (fig. 1-3)

1. Swivelling mounting bracket
2. Reel housing
3. Hose stopper
4. Compressed air hose for pneumatic tool
5. Quick coupling
6. Plug nipple
7. Hooks for hanging
8. Tie rod

3. Scope of delivery

1 x compressed air hose reel
2 x tie rods
1 x operating manual
1 x warranty card

- Open the packaging and carefully remove the product from the packaging.
- Remove the packaging material, as well as the packaging and transport safety devices (if present).
- Check whether the scope of delivery is complete.
- Check the product and accessory parts for transport damage. In the event of complaints the carrier must be informed immediately. Later claims will not be recognised.
- If possible, keep the packaging until the expiry of the warranty period.
- Familiarise yourself with the product by means of the operating manual before using for the first time.
- With accessories as well as wearing parts and replacement parts use only original parts. Spare parts can be obtained from your specialist dealer.
- When ordering please provide our article number as well as type and year of manufacture for the product.

⚠ Warning!

The product and the packaging material are not children's toys!
Do not let children play with plastic bags, films or small parts!
There is an increased danger of choking or suffocating!

4. Proper use

The air hose reel is used in conjunction with a compressor to supply compressed air tools with energy. The air hose reel is used exclusively for transporting compressed air. It is not suitable for transporting liquids. Only use the product as described and for the specified areas of application. Store these instructions safely. If the device is passed on to a third party then likewise pass all of the documentation on with it.

This product can be used by persons aged from 16 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the product in a safe way and understand the hazards involved. Children may not play with the Product. Cleaning and user maintenance must not be carried out by children without supervision.

The compressed air hose reel was designed for domestic use and must not be used for commercial, industrial or trade purposes.

The compressed air hose reel may only be used in accordance with its intended purpose. Any other, deviating use is prohibited!
Intended use also includes observing the safety instructions contained in the operating instructions and the assembly instructions. The manufacturer or dealer accepts no liability for damage caused by improper or incorrect use.

5. Safety instructions

WARNING! PLEASE READ THE OPERATING INSTRUCTIONS CAREFULLY BEFORE USE. IT IS PART OF THE PRODUCT AND MUST BE AVAILABLE AT ALL TIMES!

- The compressed air hose reel is designed to be mounted on a suitable wall or ceiling due to the device. Assembly-free use is not permitted.
- Only accessories suitable for this product may be used. Persons who use the compressed air hose reel and carry out maintenance work are obliged to familiarise themselves with it. They must also be informed about potential hazards. The applicable accident prevention regulations must be complied with correctly and conscientiously.
- Any modifications to the compressed air hose reel exclude liability on the part of the manufacturer and any associated damage.

- Assemble the compressed air hose reel before using it to minimise the risk of injury.
- Only use the compressed air hose reel with compressed air. It is not permitted to use the compressed air hose reel with liquids.
- Always allow the hose to reel up in a controlled manner, as the compressed air hose reel is equipped with a tension spring for the reeling mechanism. A reel-up hose can cause injuries if not used correctly. If the reeling mechanism is damaged, the hose reel must be taken out of service immediately and repaired by a specialist. Never open the housing of the compressed air hose reel yourself.
- Only use accessories in perfect condition that are intended for use with the compressed air hose reel.
- Never exceed the maximum working pressure of the compressed air hose reel or the compressed air tool used.
- Only connect the compressed air hose reel to compressed air lines if it is ensured that the maximum permissible working pressure is not exceeded by more than 10 % (e.g. by a pressure reducer).
- Always keep the compressed air hose away from sharp edges, heat and oil.
- Always check the compressed air hose before using the compressed air hose reel.
- Use the Compressed air hose reel only in conjunction with a compressor. Operation with compressed air cylinders is prohibited.
- The use of pneumatic tools with flammable gases is prohibited. There is a risk of explosion!
- The Compressed air hose reel must not be used for any other purpose.
- Store the compressed air hose reel out of the reach of children.
- Never point the compressed air hose reel against people or animals.
- Use only original spare parts for repairs. Non-original spare parts can cause serious damage.
- When carrying out maintenance, adjustment and repair work, always disconnect the compressed air hose reel from the compressed air supply.
- Modifications to the Compressed air hose reel are prohibited.
- Use the Compressed air hose reel only if it is in perfect condition. If in doubt, consult a specialist before use.
- Have repairs carried out only by qualified personnel.
- Transport the compressed air hose reel by gripping the hoses.
- Always keep a firm grip on the hose when disconnecting it from the compressed air source or a compressed air tool.

6. Residual risks

Even when the product is operated properly, residual risks still remain. The following hazards may arise in connection with the design and construction of this roll-off hose:

- Danger from compressed air hoses whipping around.
- Risk of tripping due to compressed air hoses lying around.

Minimise the residual risk by using the product carefully and in accordance with the instructions.

7. Technical data

Hose length:	9 m
Hose material:	PU
Hose diameter:	6.5x10 mm
Quick coupling connection:	1/4 inch Nitto
Dimensions:	300 x 255 x 155 mm
Weight (net/gross):	2.9 / 3.2
Print:	max. 10 bar
Temperature:	23°C to 60°C

8. Assembly

Mounting location (fig. 2)

- Select the location for installing the compressed air hose reel near an air compressor.
- For a large working radius, place the product in the centre of your work area. In this area, the hose can be extended to the most comfortable point.
- Select the location for installing the air hose reel such that it does not present an obstacle.
- For ceiling mounting, ensure a mounting height of at least 2.5 metres.
- The swivelling mounting bracket (1) can be attached to a concrete wall. There are many alternative positions where the product can be placed. The crucial point is a comfortable position for the user.
- The most suitable position is to mount it on a wall or post in a horizontal direction, about 1 metre above the ground.
- Otherwise, the compressed air hose reel can also be used vertically if it is suspended from a hook.

Mounting the roll-off hose

WARNING! Incorrect installation of the compressed air hose reel can lead to injuries and damage.

- Make sure that there are no cables or pipes at the installation site. If necessary, use a detector or contact a specialist.
- Ensure that the support material at the installation site can bear the weight of the compressed air hose reel. If you have any questions, please contact a specialist.

You will need the following tools for installation: a drill, a suitable drill bit and a screw-driver (not included in scope of delivery). Also observe the safety instructions for the drill used.

1. Disconnect the mounting bracket (1) from the air hose reel. To do this, remove the two side screws (a) by turning them anti-clockwise and remove the two end caps on the side of the mounting bracket.
2. Now use the swivelling mounting bracket (1) as a template and mark the position of the holes on the backing material with a pencil.
3. Drill the holes required for mounting into the carrier material.
4. Fit the mounting bracket (1) with the supplied tie rods (8). (See fig. 3)
5. Re-attach the compressed air hose reel to the mounting bracket (1) in the reverse order to that described in step 1.

9. Commissioning

Connect the air hose reel to the compressed air source

WARNING! Danger of injury!

There is a risk of injury if the compressed air hose reel is handled incorrectly.

- Always disconnect the compressed air hose reel from the compressed air supply before making any adjustments, connecting or disconnecting a tool or carrying out maintenance work.
- If you disconnect an air tool from the compressed air supply at full pressure, there is a risk of injury from the whipping recoil of the compressed air hose.
- If it is necessary to remove a tool from the coupling at full pressure, be sure to hold the compressed air hose and the connection hose firmly.
- Reduce the pressure of your compressor using the pressure reducer before connecting or disconnecting the roll-off hose from the compressor.

1. Connect the air hose reel to the compressed air supply by engaging the plug nipple (6) into the quick-release coupling of the compressor.
2. Disconnect the compressed air hose reel from the compressed air supply by pulling the outer ring of the quick coupling away from the compressed air hose reel.

Locking and return mechanism

The air hose reel has a locking and return mechanism. This makes it easy to pull out and return the compressed air hose.

This locking mechanism makes a creaking noise when rolling up and down. This is not a fault. If the noise changes after numerous uses and/or if there are problems with the mechanism, seek professional help or contact customer service.

WARNING! Danger of injury!

- The return mechanism is operated by a powerful spring. Injuries can occur if the compressed air hose is rolled up incorrectly.
- Never allow the compressed air hose to recoil in an uncontrolled manner.
- If the return mechanism is damaged, take the air hose reel out of operation immediately. Have the damage repaired by a specialist.

Unreeling the hose

Carefully pull the compressed air hose (4) out of the reel housing (2) until it has reached the desired working length for the pneumatic tool. When you release the compressed air hose (4) after a clicking sound, the lock engages at this length.

Reeling in the hose

You can release the lock by pulling briefly (approx. 3-5 cm) on the compressed air hose (4).

Ensure that you roll the compressed air hose (4) back into the reel housing (2) in a controlled manner. To do this, hold the quick-release coupling while pulling it in.

If the hose becomes twisted, it is necessary to extend the hose to its full length so that it can retract evenly into the reel.

Adjusting the hose stopper

The position of the hose stopper (3) can be adjusted. The hose stopper (3) then stops the compressed air hose (4) from being rolled up to the desired length.

A Phillips screwdriver (not included in the scope of delivery) is required to adjust the hose stopper (3).

1. Loosen the fastening screws with the Phillips screwdriver.
2. Slide the hose stopper (3) along the compressed air hose (4) to the desired position.
3. Tighten the fastening screws again.

10. Maintenance and care

WARNING! The compressed air hose reel must be serviced and overhauled regularly to ensure proper functioning and compliance with safety requirements. Improper and incorrect operation can lead to failures and damage to the product.

Cleaning and storage

- Disconnect the compressed air hose reel from the compressed air supply before cleaning the product.
- Clean the compressed air hose reel after each use: Wipe the compressed air hose reel and accessories with a slightly damp cloth to remove dust and material residues.
- Never use harsh and/or abrasive cleaning agents or solvents. These could damage the plastic parts of the compressed air hose reel.
- Make sure that water never gets inside the product.
- Before returning the compressed air hose to the housing, clean the compressed air hose for further use if possible.
- To extend the service life, the compressed air hose reel should be installed in a protected location. The metal parts are attacked by sunlight, which affects the service life of the reel housing (2) and the parts inside the product.

Maintenance

If the hose can no longer be rolled up after a certain period of use, the spring may be tired. The tension of the spring should then be adjusted by 1-2 turns:

1. Remove the left-hand cover from the drum.
2. Clamp the spring head and remove it from the drum.
3. Turn the retractor 1-2 turns anti-clockwise.
4. Reattach the spring head to the drum.
5. Replace the left-hand cover.



ALDI

FERREX®

AIR HOSE REEL F-AHR25

Warranty Details

REGISTER YOUR PURCHASE AT www.aldi.com.au/en/about-aldi/product-registration/ TO KEEP UP-TO-DATE WITH IMPORTANT PRODUCT INFORMATION

The product is guaranteed to be free from defects in workmanship and parts for a period of 12 months from the date of purchase. Defects that occur within this warranty period, under normal use and care, will be repaired, replaced or refunded at our discretion. The benefits conferred by this warranty are in addition to all rights and remedies in respect of the product that the consumer has under the Competition and Consumer Act 2010 and similar state and territory laws.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law.

AFTER SALES SUPPORT

  1300 855 831

AUS Hotline Costs: Local rate for landline calls*
*Charges may vary dependent upon network operator or mobile network provider.

 support@scheppach.com.au

MODEL: F-AHR25 PRODUCT CODE: 845829 06/2025





Repair and Refurbished Goods or Parts Notice

Unfortunately, from time to time, faulty products are manufactured which need to be returned to the Supplier for repair.

Please be aware that if your product is capable of retaining user-generated data (such as files stored on a computer hard drive, telephone numbers stored on a mobile telephone, songs stored on a portable media player, games saved on a games console or files stored on a USB memory stick) during the process of repair, some or all of your stored data may be lost.

We recommend you save this data elsewhere prior to sending the product for repair.

You should also be aware that rather than repairing goods, we may replace them with refurbished goods of the same type or use refurbished parts in the repair process.

Please be assured though, refurbished parts or replacements are only used where they meet ALDI's stringent quality specifications.

If at any time you feel your repair is being handled unsatisfactorily, you may escalate your complaint. Please telephone us on SUPPLIER TELEPHONE or write to us at:

RossMac Pty. Ltd.

Unit 6, 4 Ovata Drive, Tullamarine, Victoria, 3043

Telephone: 1300 855 831 (Monday - Friday 8:00am-6:00pm)

Email: support@scheppach.com.au

AFTER SALES SUPPORT


  1300 855 831

AUS Hotline Costs: Local rate for landline calls*
*Charges may vary dependent upon network operator or mobile network provider.

 support@scheppach.com.au

MODEL: F-AHR25 PRODUCT CODE: 845829 06/2025

1
YEAR
WARRANTY



ALDI GUARANTEES THAT OUR EXCLUSIVE BRAND PRODUCTS ARE DEVELOPED TO OUR STRINGENT QUALITY SPECIFICATIONS. IF YOU ARE NOT ENTIRELY SATISFIED WITH THIS PRODUCT, PLEASE RETURN IT TO THE NEAREST ALDI STORE WITHIN 60 DAYS FROM THE DATE OF PURCHASE, FOR A FULL REFUND OR REPLACEMENT, OR TAKE ADVANTAGE OF OUR AFTER SALES SUPPORT BY CALLING THE SUPPLIER'S CUSTOMER SERVICE HOTLINE.



Made in China

FERREX is a registered trademark of ALDI Stores

DISTRIBUTED BY:

ALDI STORES

1 SARGENTS ROAD

MINCHINBURY NSW 2770

www.aldi.com.au

AFTER SALES SUPPORT

845829 



 1300 855 831



support@schepach.com.au

MODEL:
F-AHR25

06/2025

1

**YEAR
WARRANTY**